




Staging of Periodontitis (Level of Destruction, Severity, Complexity of Management, Extent & Distribution)

	Periodontitis	Stage I Incipient Periodontitis	Stage II Moderate Periodontitis	Stage III Periodontitis with potential for additional tooth loss	Stage IV Advanced periodontitis with extensive tooth loss and potential loss of dentition		
Severity (at site of greatest loss)	Interdental CAL	1-2 mm	3-4 mm	≥5 mm	≥5 mm		
	Radiographic bone loss	Coronal 1/3 (<15%)	Coronal third (15%-33%)	Middle third of root and beyond	Middle third of root and beyond		
	Tooth loss (due to PD)	No tooth loss		≤ 4 teeth lost	≤ 5 teeth lost		
 <p>Initial stage should be determined by using CAL; if not available, use RBL</p> Complexity	Local	<ul style="list-style-type: none"> Maximum PPD ≤ 4 mm Mostly horizontal bone loss 	<ul style="list-style-type: none"> Maximum PPD ≤ 5 mm Mostly horizontal bone loss 	In addition to Stage II: <ul style="list-style-type: none"> PPD ≥ 6 mm Vertical bone loss ≤ 3 mm Furc CL II, III Moderate ridge defects 	In addition to Stage III: Need for complex rehabilitation due to: <ul style="list-style-type: none"> Masticatory dysfunction Secondary occlusal trauma (mobility ≥ 2°) Severe ridge defects Bite collapse, drifting, flaring ≤ 20 remaining teeth (10 opposing pairs) 		
Extent and distribution (add to stage as descriptor)	<div style="border: 2px solid magenta; padding: 5px;"> For each stage, describe as: 1) Localized (< 30% of teeth involved), or 2) Generalized (> 30% of teeth involved); and molar-incisor pattern </div>					<small>Fritz PC, et al. The New Global Classification System for Periodontal and Peri-Implant Diseases: An Executive Summary for the Busy Dental Professional. Oral Health; October 16, 2018</small>	 <p>Casey Hein & ASSOCIATES A DENTAL EDUCATION COMPANY RE-CONNECTING MOUTH & BODY www.caseyhein.com</p>